

:00000000

000000 000000 00 000000 0000 !0000000 00000 00000000-00000000-00000 0000 000 000000000000 000000 0000 0000 00000 0000 00000000 0 0000 00000 00000 0000 !00000000 000 00000 00000 0 000000000 000000000 000000000 000000000 00000000 00000000 00000000 00000000!





Material: Zinc Alloy

The shaft is made of hard steel, it is applicable for different thickness of door after adjusting with spring.



Keystroke function: 14 buttons, including 10 number keystroke and 4 letter keystroke. Special key—button “C”, eliminate misinput, easily use.

Numerical key—choose 4-7 buttons to set the password in 13 keystroke except button “C”.

Change code function: basic on the customers' need , one should change password, 7 buttons most one time, but not overlap.

Security function: exactitude design, preciseness structure, mechanism motion. with strict trial ,it can still work normally after 50000 times opening, Possess security and secrecy.

.ᄡᄡᄡᄡᄡ ᄡᄡᄡ ᄡᄡᄡᄡᄡᄡᄡᄡ ᄡ ᄡᄡᄡᄡ ᄡᄡ ᄡᄡᄡᄡ ᄡᄡᄡ ᄡᄡᄡᄡ ᄡᄡ ᄡ ᄡᄡᄡᄡᄡᄡ ᄡᄡᄡ -
ᄡᄡᄡᄡ ᄡᄡ ᄡᄡᄡᄡᄡ ᄡᄡ ᄡᄡᄡᄡᄡ ᄡᄡᄡᄡᄡ ᄡᄡᄡ ᄡᄡᄡᄡᄡᄡᄡ ᄡᄡ -
.ᄡᄡᄡ ᄡᄡᄡ ᄡᄡᄡ ᄡᄡᄡᄡᄡᄡ ᄡᄡᄡᄡᄡᄡᄡ ᄡᄡᄡᄡᄡᄡ ᄡᄡᄡᄡᄡᄡ -
ᄡᄡ 60 ᄡ ᄡᄡ 35 ᄡᄡᄡ ᄡᄡᄡᄡᄡ ᄡᄡᄡᄡ ᄡᄡᄡᄡᄡᄡ ᄡᄡᄡᄡᄡ -.