

Smart Bluetooth Fingerprint Lock



TTLOCK APP




المنتج مقدمة

هذا هو قفل الباب الذكي من الألومنيوم المصمم الجديد. اعتماد آخر التصميم الهيكلي، ما عرض اللوحات هو فقط 43 مم، أن تكون مناسبة لأي باب الألومنيوم أي إطار أكثر من 46 ملم. يمكن أيضا استخدام هذا القفل لأبواب خشبية للاتصال القفل الذكي لهاتفك الذكي، BLE وأمنية، ويناسب جميع أنواع نقر. مع إدارة التطبيقات المتقدمة، عبر ويمكنك إدارة قفل الباب الذكي في أي مكان وفي أي وقت.

لمساعدتك بشكل أفضل في إدارة مبانك الذكية.

الطوارئ بطارية احتياطية: قفل المنبه إذا كان في بطارية منخفضة. هل يمكن أن تكون مؤقتا شحن قفل الأمان 7. Micro-USB الخاص بك بواسطة بنك الطاقة، شاحن الهاتف، أي مصدر طاقة مع منفذ



5 ways Unlock

Fingerprint
Unlock



password
Unlock



IC Card
Unlock



TT APP
Unlock



Key
Unlock



Five Unlock Ways



Password
Unlock



Fingerprint
Unlock



APP
Unlock



IC Card
Unlock



Mechanical Key
Unlock

Product Detail



Semiconductor
Fingerprint Recognition
- 51 fingerprint user capacity -



Hidden Mechanical key

- To unlock the door in case
of battery die



Cover with
clamshell design.
More convenient!



Emergency USB Charging Port

- Emergency power supply for lock



304 Stainless Steel Material

Slim & Suitable for All Door



APP TO PROGRAMME /CONTROL THE LOCK




Creat and share pin
code remotely

Creat and share
ekey remotely

Pin code
management

Add/delect card

Remaining batteries/
Passage Mode Setting/
Volume setting/
System upgrade & more



BLE access

WIFI access from
any place

Time attendance

Ekey management

Fingerprint management

Unlocking records




Available on the
App Store



GET IT ON
Google Play

Multiple Mortise Options







معامل

المنتج اسم	ضد للماء الباب الألومنيوم قفل بصمة
مادة	الفولاذ المقاوم للصدأ 304.
فتح الطريق	بطاقة، بصمة، كلمة المرور، المفتاح الميكانيكي IC، التطبيق
تواصل	بلي 4.0.
اسم التطبيق	ttlock.
دعم نظام التشغيل	أو أعلى Android 4.4، أو أعلاه iOS 7.0
نقر	سلسلة نقر مزدوج 85
أوقات الحياة. motrise.	مرات 500,000.
اللون	صقيل النيكل والنيكل الأسود والذهب
قوة إمداد	بطاريات قلوية AA. قطع 4 (DC 6V)
بطارية الحياة	(مرات مفتوحة عادية (12 شهرا 15000.
ثابتة تيار	25 و
متحرك تيار	<150mA
عمل درجة الحرارة	-20 ~ 60 درجة

عمل رطوبة	20-95%
سمك الباب المتاح	35-55mm.
تشير إلى الاستخدام	باب خشبي، باب الألومنيوم، انزلاق باب