

DH-Y002 2 蓝色 ABS ABS
ABS
ABS



操作说明

1. Jog / Non-Latched 模式 / 模式 “ ”
2. 模式 / 模式 / 模式
3. 模式 / 模式 / 模式 2
4. 模式 5s 10s 15s



□□□

1.□□□□□DC10-14V

2.□□□□ <5MA

3.RF□□□315MHz□433MHZ

4.RF□□□□□□□□□□

5□□□□□□□ > 90dBm

6.□□□□□ > 100□□□□□□□□□□

7□□□□□□□MCU□□□□□

8.□□□□□□□□□50□

9□□□□□□□□□□□□□□□□

10.□□□1CH

11.□□□□□□□□□□/□□□□□□/□□□□□□/□□□□□□□□□□

12□□□□□□□□□□□□□□□□

13.□□□□□□□DC12V

14. 10A

15. 10A 250VAC / 10A 125VAC

10A 30VDC / 10A 28VDC

16.

17. 3.5cm * 3cm * 1.6cm



Buttons



Slide



Back




Key chain




Sides

12VDC 2 WAY CONTROL 2NO+2NC



RKE



111

```
1.log[0]LED[0]LED[0]
```

5. 3S LED

2. LED 5 3S LED

3. 3

4. 5s 10s 15s

CONTACT US



Sincerely for your service

You are welcome to come to consult

Contact: Yimo Yang

Cellphone/Wechat/Whatsapp: +86 13612936220

Skype: udohow3

Email: udohow1@udohow.com

Web: www.udohow.com

HOME