

RF card electronic lock ng lock ng pinto



Sistema ng lock ng pintuan ng pintuan ng hotel

•PRODUCT DETAILS•



Weight :	2.8KG/PCS
Material	Zinc alloy/acrylic
Card type	M1 S50 card
Frequency	13.56MHZ
Work Voltage	6V
Alarming Voltage	4.5V
Static Currency	<20uA
Dynamic currency	<200mA
Work temperature	-20-60 degree certigrade
Work humidity	10%-85%RH
Mortise	5 latch security mortise
Unlocking time	Within 1 second
Read distance	2-10mm
Door thickness requirement	35-65mm



RFID Card to open door

Temic and Mifare card, 100,000 times life, high security, compatible with Energy Saver

Mechanical keys (2pcs) to open door

Emergency Key to open the door or if you don't want to use RFID cards



Deadbolt + Anti-card Latch (ANSI Mortise)

Standard 5-bolt electronic cylinder

Handle

Safe Handle design to protect any break-in attempt and pass 300 thousand times test



Back Bolt Knob

There is a Bolt knob on the back of the lock, deadbolt latch out to improve your security

4x AA Batteries

4 section 6V 5# alkalinity for 10,000 times' unlocking. Low voltage warning, when it is low 4.8V



Mga Tampok

- > Ang teknolohiya ng pag-encrypt ng RF door card, na maaaring tumpak na matukoy ang tinukoy na card ng pag-unlock;
- > Gumawa ng international standard five-lock dila electronic lock, alinsunod sa mga pamantayan sa ANSI;
- > Ang katawan ng lock ay sumasang-ayon sa pangkalahatang pamantayan sa pagbubukas ng pambansang seguridad ng seguridad ng Tsina;
- > Zinc haluang metal sobrang malakas na naka-texture na materyal, pinakintab na may mataas na kalidad na teknolohiya sa ibabaw;
- > Alikabok-patunay, anti-matinding buong disenyo ng proteksyon;
- > Libreng hawakan para sa ligtas na paggamit;
- > Mga sikat na taga-disenyo ng Europa, naka-streamline na disenyo;
- > Angkop para sa mga hotel, marangyang villa, high-end na apartment at mga high-end na tanggapan ng tanggapan;
- > Pinapagana ng 4AA na mga baterya na nagbibigay ng hanggang sa 1 taong normal na oras ng buhay.